

MTB PRODUCT NEWS TTX 22 M CUSTOM SERIES SHOCK ABSORBER

PART NO:

MTBM 1892 - TTX 22 M 210x50 AM • MTBM 1894 - TTX 22 M 230x57.5 AM MTBM 1895 - TTX 22 M 230x60 AM • MTBM 1896 - TTX 22 M 230x65 AM

Ever since the launch of the Öhlins TTX 22M, the shock absorber has created a buzz within the bike industry. Riders have praised the shock from the time it was released. Now available in in metric lengths/strokes The TTX 22 M Custom aftermarket shock absorber is designed to handle the most challenging World Cup Downhill tracks while still providing pedal efficiency for the flat and uphill sections. The twin tube design allows the gas pressure to always backup the low-pressure side of the piston to keep pressure at a controlled level. This ensures consistent damping performance on all types of terrain and improves damping response to give outstanding control of the bike and tire movements.

Low and high speed compression and rebound damping are externally adjustable. Spherical bearings is offered as an option on widths up to 22 mm, reducing friction on the shock during side loads to improve small bump sensitivity. All shocks feature the stability mode. 3rd position on high speed adjuster increase compression damping to reduce suspension movements during less technical climbs.

We have developed new springs for the TTX 22 M Custom Series and decreased the weight by 25-30%.

FEATURES

- > TTX-technology
- > Specifically designed for the Enduro/gravity segment
- > Nitrogen pressurized bladder reservoir system
- > Weights from 423 grams to 454 grams including ball joint
- > Spring weight has been reduced
- $\,>\,$ Easy to set up with enough adjustment range to suit different riding conditions
- > External, 3 level high-speed compression adjustment
- > External, 16 click low-speed compression adjustment rebound damping adjustment
- > External, 7 click rebound adjustment
- > Available in in metric lengths/strokes



OHLINS.EU 🖪 OHLINSRACING 🖪 @ OHLINSRACING 🖸 OHLINSRACING



