

Kit Contents		
Description	Part No	Pcs
Cable ties 4,8x2190		2
Cable ties edge clip		6
4,8x190 (large)		
Cable ties edge clip		2
4,8x190 (small)		
Cable ties edge clip		4
4,8x190 (straight)		

Note!

Please note that this image is a general representation of the product and may differ slightly from your product.

Cancellation kit, Chevrolet Camaro



Mounting Instructions



MOUNTING INSTRUCTIONS

A Warning!

It is advisable to have an Öhlins dealer install the cancellation kit.

∆ Warning!

If working on a raised vehicle, ensure it is securely supported.


Front axle:

1

Mount the front axle electronic kit with the supplied edge clips on the chassis edge. Run the standard damper control wire to the supplied electronic component connector. Insert the standard connector into the electronic component connector until it locks.

Right vehicle side





MOUNTING INSTRUCTIONS

Rear axle:

2

Mount the rear axle electronic kit with the supplied edge clips on the chassis edge. Run the standard damper control wire to the supplied electronic component connector. Insert the standard connector into the electronic component connector until it locks.



Ohlins products are subject to continuous improvement and development, therefore, although these instructions include the most up-to-date information available at the time of printing, minor updates may occur.

© Öhlins Racing AB. All rights reserved. Any reprinting or unauthorized use without the written permission of Öhlins Racing AB is prohibited. To find the latest information contact an Öhlins distributor. Please contact Öhlins if you have any questions regarding the contents in this document. Part no. MI_35020-16_0 Issued 2016-05-17

Öhlins Racing AB Box 722 S-194 27 Upplands Väsby, Sweden Phone +46 8 590 025 00 fax +46 8 590 025 80



www.ohlins.com