



Öhlins Motorcycle Front Fork Fluid #10 1 Liter

Öhlins has developed high-quality oils for its shock absorbers, forks, and cartridge kits. They include a range of fork oils which will increase the performance of original telescopic and upside down forks. The different viscosities available make it possible to select the most suitable oil.

What distinguishes Öhlins fork oil from conventional oils is that it reduces friction, stays cleaner, has a long service life, and is highly resistant to foaming (known as cavitation). Together with the front fork springs from Öhlins, a considerable improvement in the responsiveness and performance of an original fork can be achieved.

Available fork oil types are:

- R&T: Fork oil with a viscosity of 19.0 centistokes at 40° Celsius (similar SAE 7.5 W)
- #5: Fork oil with a viscosity of 20.0 centistokes at 40° Celsius (similar SAE 7.5 W)
- #10: Fork oil with a viscosity of 40.0 centistokes at 40° Celsius (similar SAE 20 W)
- #20: Fork oil with a viscosity of 98.0 centistokes at 40° Celsius (similar SAE 40 W)

Product Features:

Front fork oil

Viscosity 40,0 Centistoke at 40° (similar SAE 20W)

1 Liter

Oil recommendation can be found in the detail information for each Öhlins product.

Part number

01314-01

Price and availability

23,05 €

23,05 € plus % VAT (1,0 Litre, Baseprice 23,05 €/Litre)

in stock

(3 - 5 business days)



ADD TO CART

The picture shown can deviate from the product delivered.



Personal Safety: Handle the product with care to avoid long-lasting effects. Avoid release to the environment. Check for environmental contamination after treatment events.

PHOTOGRAPH © 2005 by the author. All rights reserved. No part of this publication may be reproduced without written permission from the author.

PRIMER *Primer* is a term used to describe the first stage of a process or procedure.

EL MÉTODO Señaló el general que el resultado de la batalla

CLASICO Tschüss zu den alten Zeiten! Der neue Klassiker Color 3 bringt ein frisches Design mit modernen Farben und Materialien.

ANSWER The answer is 1000. The first two digits of the number are 10, so the number is 1000.

(4) 経営 A社の幹部にA社の現状を聞き、顧客への対応を尋ねること。
B社の幹部にB社の現状を聞き、顧客に対する対応を尋ねること。両社の

三八-37.人體乳頭瘤病毒 (Human papillomavirus), C19-30, 人類乳頭瘤病毒 (Human papillomavirus)

（四）在本办法施行前，已经取得的有关行政许可、资质、资格、执业证书等，继续有效；

Q31-34 请回答最近一年您对自己日常生活的满意程度 (0=0%-10%)
Q35-37 请回答最近一年您对自己日常生活的满意程度 (0=0%-10%)

សារព័ត៌មាន និងរបៀបការងាររបស់ខ្លួន។
និងរបៀបការងាររបស់ខ្លួន។



Housing market

ONLINE RACING AB
Box 732, S-184 27 Upplands Väsby, Sweden

Manufactured by Fuchs Lubricants Switzerland AG



Öhlins Europe

Gottlieb-Daimler-Straße 25
53520 Meuspath
Germany

Phone: +49 (0) 2691 -
937780
Fax: +49 (0) 2691 - 9377890
E-Mail: info.oeu@driv.com

Office Hours

Monday to Friday
08:00 AM to 12:30 PM
01:30 PM to 05:00 PM

