

Öhlins Motorcycle Front Fork Fluid #5 1 Liter

Öhlins has developed high-quality oils for its shock absorbers, forks, and cartridge kits. They include a range of fork oils which will increase the performance of original telescopic and upside down forks. The different viscosities available make it possible to select the most suitable oil.

What distinguishes Öhlins fork oil from conventional oils is that it reduces friction, stays cleaner, has a long service life, and is highly resistant to foaming (known as cavitation). Together with the front fork springs from Öhlins, a considerable improvement in the responsiveness and performance of an original fork can be achieved.

Available fork oil types are:

R&T: Fork oil with a viscosity of 19.0 centistokes at 40° Celsius (similar SAE 7.5 W)

#5: Fork oil with a viscosity of 20.0 centistokes at 40° Celsius (similar SAE 7.5 W)

#10: Fork oil with a viscosity of 40.0 centistokes at 40° Celsius (similar SAE 20 W)

#20: Fork oil with a viscosity of 98.0 centistokes at 40° Celsius (similar SAE 40 W)

Product Features:

Front fork oil

Viscosity 20,0 Centistoke at 40° (similar SAE 7,5W)

1 Liter

Oil recommendation can be found in the detail information for each Öhlins product.

Part number

01330-01

Recommendations



#5 4 Liter

Price and availability

23,05 €

23,05 € plus 0,0% VAT (1,0 Litre, Baseprice 23,05 €/Litre)

in stock

(3 - 5 business days)



The picture shown can deviate from the product delivered.




5

ADVANCED SUSPENSION TECHNOLOGY

HIGH PERFORMANCE FRONT FORK FLUID

High performance front fork fluid, to be used in cartridge type front forks.

ENGLISH: This fluid is designed and used to ensure optimal performance in all types of front forks. It is designed to provide excellent damping characteristics and to ensure long service life. It is suitable for use in all types of front forks. It is not recommended for use in other types of front forks.

FRANÇAIS: Ce fluide est conçu et utilisé pour assurer une performance optimale dans tous les types de fourchettes avant. Il est conçu pour offrir d'excellentes caractéristiques d'amortissement et assurer une longue durée de vie. Il convient à tous les types de fourchettes avant. Il n'est pas recommandé pour d'autres types de fourchettes avant.

DEUTSCH: Dieses Fluid ist für den Einsatz in allen Typen von Gabeln konzipiert und verwendet. Es ist für eine optimale Dämpfung und eine lange Lebensdauer konzipiert. Es ist für alle Typen von Gabeln geeignet. Es wird nicht empfohlen, es in anderen Typen von Gabeln zu verwenden.

ITALIANO: Questo fluido è studiato e utilizzato per garantire la massima performance in tutti i tipi di forche anteriori. È studiato per fornire eccellenti caratteristiche di smorzamento e garantire una lunga durata. È adatto per tutti i tipi di forche anteriori. Non è raccomandato per altri tipi di forche anteriori.

ESPAÑOL: Este fluido está diseñado y utilizado para garantizar un rendimiento óptimo en todos los tipos de horquillas delanteras. Está diseñado para proporcionar excelentes características de amortiguamiento y garantizar una larga vida útil. Es adecuado para todos los tipos de horquillas delanteras. No se recomienda su uso en otros tipos de horquillas delanteras.

VISCOSITY: 20,04 cSt at 40°C



PART NO: 01320-01, 1 LITRE



Öhlins Europe

Gottlieb-Daimler-Straße 25
53520 Meuspath
Germany

Phone: +49 (0) 2691 -
937780
Fax: +49 (0) 2691 - 9377890
E-Mail: de_info@ohlins.com

Office Hours

Monday to Friday
08:00 AM to 12:30 PM
01:30 PM to 05:00 PM

