



# Air Fork RXF38 m.2 Air 29/Stroke 170mm/Offset 44mm

The single crown sibling of our DH38 platform has now been updated to create a more compact, shorter and more lightweight design; optimized for long-travel bikes with up to 180 mm of travel. Designed for both gravity bikes and eMTB with multiple crown offset choices available. The new m.2 version has been re-engineered with a stiff chassis that will keep your line choice on even the most demanding trails. The capable air spring and TTX18 damper will keep your tires planted with the best possible ground contact, swallowing roots and rocks; making your ride more comfortable and controlled.

The RXF38 m.2 boasts a huge range of adjustment; 15 clicks of low-speed compression and low-speed rebound damping and 3 clicks of high-speed compression adjustment, in addition to a climb mode setting. The re-tuned twin-piston, three-chamber air spring system allows for comprehensive air spring tuning from the initial movement right through to the bottom out.

## Technical Specifications:

- TTX18 damping system

- Independent cartridge air spring and damper systems

- Air spring adjustable to 160/170/180mm of travel

- Designed for 200mm rotor size, 220 max

- Easy to tune three-chamber air spring system

- 38 mm stanchion diameter

- 44 mm crown offsets

- Floating axle design to minimize tire sizes up to 29 x2.6

- Approved for eMTB use and available with eMTB compatible crowns

- Compatible with maximum tire sizes up to 29x2.6

- Weight: from 2320 grams

- Axle to crown measurement: 583 mm @170 mm stroke

- Rebuildable

- 2 year warranty

## Adjustment:

- 3-click high speed compression damping

15-click low speed compression damping

15-click rebound damping

## Purchased parts package:

RXF38 m.2 including crowns

Owners manual

## Part number

FGMTB 3817 2210

## Technical data

Wheel Size: 29

## Fits for Mountain bikes

[Universal MTB Air Fork \( - \)](#)

## Price and availability

**1.406,95 €**

1.406,95 € plus % VAT

**Not in stock**

We send you an email as soon as the product is in stock.



## Performance Suspension Guide

Not sure what you need or how to set up your bike? The Öhlins Performance Suspension Guide will help you to find the right product and base set up for you bike.

[Open Performance Suspension Guide](#)

The picture shown can deviate from the product delivered.





## **Öhlins Europe**

Gottlieb-Daimler-Straße 25  
53520 Meuspath  
Germany

Phone: +49 (0) 2691 -  
937780  
Fax: +49 (0) 2691 - 9377890  
E-Mail: [info.oeu@driv.com](mailto:info.oeu@driv.com)

## **Office Hours**

Monday to Friday  
08:00 AM to 12:30 PM  
01:30 PM to 05:00 PM

